


Model J Automatic Sandblaster


The Model J Automatic Sandblaster is a complete front for a sandblasting booth. The Model J is fully assembled and test run prior to shipment. It has been proven in hundreds of retail and wholesale shops to perform under the most demanding conditions.




- ◆ A compact machine that is fully assembled and tested prior to shipment. Install it in less than a day.
- ◆ Designed for the constant motion of automatic sandblast. Not an attachment to a manual curtain. No exposed chains, sprockets, or short life components.
- ◆ Full range of speeds for independent control of horizontal and vertical motion. Speed of motion is adjustable during operation to “fine tune” coverage.
- ◆ Electrical power interruption will not stop nozzle motion in mid-stroke. Compressed air power will continue moving nozzle to extreme end of track. This safety feature provides time for operator to shutdown generator sand flow.
- ◆ Available in two sizes:
 - 8’ Model with 60” horizontal travel.
 - 10’ Model with 84” horizontal travel.Both models have 30” vertical travel that is easily adjustable within 55” vertical range.
Note - Option available for up to 52” travel.

More Pleasant And Healthy Working Conditions

Fully sealed room front has fine mesh stainless steel vision screen to minimize abrasive escape. This provides greater operator safety and more pleasant working conditions.



The Model J Easily Mounts On Your Present Booth And Can Be Moved As A Unit In The Future



Specifications:

Width

Minimum Height

Shipping Weight (Crated)

Nozzle Travel - Horizontal

Nozzle Travel - Vertical

Compressed Air Requirement

Electrical Requirement

8' Model

8'-0"

6'-8"

1000 lbs.

60"

30" - Adjustable within 55" range. Note -
Option available for 52" continuous motion.

2 CFM

7 Amp / 120 Volt Single Phase

10' Model

10'-0"

6'-8"

1200 lbs.

84"

Items Included With Model J:

- ◆ One year guarantee on parts
- ◆ Nozzle holder
- ◆ Sand hose (16'-8" Length, 3/4" ID / 1 1/2" OD)
- ◆ Three sand hose couplers
- ◆ Two sheet metal filler panels
- ◆ Two steel legs
- ◆ Three floodlight lamps
- ◆ Sand hose support spring
- ◆ 1/2" soft copper tubing for compressed air connection
- ◆ Miscellaneous hardware (Screws, Nuts, Bolts, Fittings, etc.)
- ◆ Operating and Maintenance instructions

Price: 8' Model J \$11,750 *(effective 2-1-2009)*

10' Model J \$12,250 *(effective 2-1-2009)*

Add \$450 crate charge if shipped by common carrier.

HIRONS MEMORIAL WORKS, INC.

14950 US 68, MT. ORAB, OHIO 45154

(888) 444-6356 TOLL-FREE

(937) 444-2646 FAX

www.hironsmemorials.com

Model K Shaping Curtain



Abrasive Recovery System



Stone Setter




Options Available For Model J

Preset Counter Option

An electrical controller that counts the number of vertical passes over the work area. When a preset number of passes is reached, the counter sends an electrical signal to an external device (not provided with Model J). The external device may control abrasive flow, operate a signal light, or sound a horn.


Price: \$650



Extended Vertical Motion Option

A standard Model J provides 30" of vertical nozzle travel that can be set anywhere on the 55" track. A manual adjustment of the nozzle position is required. This option provides up to 52" of continuous vertical motion by the nozzle as it sweeps across the work area. No manual adjustment is required.

Price: \$415



Manual Rubber Curtain Option

Rubber curtain that is inserted in bottom half of front opening. This curtain allows manual sandblasting through front of Model J.

Price: \$200



Protective End Panel Option

Protective panels overlap each end of tablet to guard against accidentally frosting ends and back of tablet.

Price: \$190

